

From: [Kristine Lloyd](#)
To: [Brenda Cook/R6/USEPA/US@EPA](#)
Cc: [Debra Pandak](#)
Subject: RE: 1st QA review for the Wilcox Oil Company site
Date: 08/06/2012 10:05 PM

OK- I'll give you a call in the afternoon. There's still not an annotated doc record. Will they be sending that later?

Thanks,

Kris

From: Brenda Cook [Cook.Brenda@epamail.epa.gov]
Sent: Monday, August 06, 2012 6:10 PM
To: Kristine Lloyd
Cc: Debra Pandak
Subject: Fw: 1st QA review for the Wilcox Oil Company site

give me a holler tomorrow

Brenda Nixon Cook
Region 6 NPL Coordinator
1445 Ross Avenue
Dallas, Texas 75202
214-665-7436

Consider being a bone marrow donor!! Join the National Donor Marrow Registry!! For more information visit

www.marrow.org

-----Forwarded by Brenda Cook/R6/USEPA/US on 08/06/2012 06:07PM -----

To: Terry Jeng/DC/USEPA/US@EPA
From: William A Chantry <wchantry@csc.com>
Date: 08/06/2012 04:05PM
Cc: Brenda Cook/R6/USEPA/US@EPA, <lmeador@mindspring.com>, Tanya M Amme <tamme2@csc.com>, Deborah L Miller <dmiller25@csc.com>, aliciaschutz@princetonable.com, David Yogi/DC/USEPA/US@EPA
Subject: 1st QA review for the Wilcox Oil Company site

(See attached file: Wilcox Oil Company - 1st QA Review - 08-06-2012.doc)

(See attached file: Wilcox Oil Company - 1st QA Review - Analytical Data Documentation Issues - 8-06-2012.doc)

(See attached file: Wilcox Oil Company - 1st QA Review CL - 08-06-2012.doc)



9566068

Computer Sciences Corporation

www.csc.com

August 6, 2012

Terry Jeng
U.S. Environmental Protection Agency
Site Assessment and Remedy Decisions Branch
2777 Crystal Drive
Arlington, Virginia 22202

Subject: First Quality Assurance (QA) Review for the Wilcox Oil Company site HRS package under contract EP-W-10-016, Work Assignment 2-01, Task 1.1

Dear Ms. Jeng:

Computer Sciences Corporation (CSC) is pleased to submit the 1st QA review for the Wilcox Oil Company site (CERCLIS ID No. OK0001010917) HRS package. Electronic copies of this QA review, including the 1st QA review letter and analytical data documentation issues attachment, have been sent to Brenda Nixon-Cook, EPA Region 6 NPL Coordinator, for review.

If you have any questions or comments regarding this QA review, please do not hesitate to contact me at (703) 461-2437 or Leslie Meador at (770) 904-0198.

Sincerely,

Dr. William A. Chantry
CSC Region 6 Coordinator

Leslie Meador
CSC Work Assignment Manager (WAM)

cc: Emily Johnson, EPA HQ Project Officer
David Yogi, EPA HQ WAM
Brenda Nixon-Cook, EPA Region 6 NPL Coordinator
Tracy Allison, CSC Contract Administrator
CSC site file

Enclosures

6101 Stevenson Avenue
Alexandria, Virginia 22304
703.461.2000 Fax 703.461.2020

Confidential Business Information

Dr. William A Chantry
Senior Principal Engineer
CSC
6101 Stevenson Avenue
Alexandria Virginia 22304
Science, Engineering and Mission Support | p: 703-461-2437 | f: 703-461-2020 | WChantry@CSC.com
| www.csc.com

This is a PRIVATE message. If you are not the intended recipient, please delete without copying and kindly advise us by e-mail of the mistake in delivery.

NOTE: Regardless of content, this e-mail shall not operate to bind CSC to any order or other contract unless pursuant to explicit written agreement or government initiative expressly permitting the use of e-mail for such purpose.